		1-x
	Application No.	Applicant(s)
Notice of Allowability	10/631,338	PARKER ET AL.
	Examiner	Art Unit
	Julie Anne Watko	2653
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed 10/03/2005.		
2. ☑ The allowed claim(s) is/are <u>2-5,7-12,14,17,19-24 and 1516</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	• • • • • • • • • • • • • • • • • • • •
	Paper No./Mail Dat	e
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 	8), /. 🔀 Examiner's Amendr	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	nt of Reasons for Allowance
of Biological Material	9.	
		•

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Non-elected claims 25-33 have been cancelled.

2. The following is an examiner's statement of reasons for allowance:

Regarding independent claims 2 and 14: The prior art of record neither shows nor suggests an ordered crystalline lead layer wherein a B2 crystalline structure of said lead is epitaxially matched to a crystalline structure of a hard bias layer, and wherein said hard bias layer is composed of a cobalt alloy.

Regarding independent claims 7 and 19: The prior art of record neither shows nor suggests a hard bias/lead structure at side areas of sensor layers, including an electrical lead layer having ordered crystalline structure selected from the group consisting of B2, L1₀, L1₁, L2₂ and D0₃.

Regarding independent claims 8 and 20: The prior art of record neither shows nor suggests a hard bias/lead structure at side areas of sensor layers, including an ordered crystalline electrical lead layer comprising a material selected from the group consisting of NiAl, CuAu, Cu₃Au, Ni₃Al and Fe₃Al.

Regarding independent claims 9 and 21: The prior art of record neither shows nor suggests an electrical lead layer comprising a NiAl alloy and is deposited directly on said hard bias layer.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Julie Anne Watko whose telephone number is (571) 272-7597. The examiner can normally be reached on Monday-Thursday until 4:45PM, and Friday until 6PM.

Application/Control Number: 10/631,338

Art Unit: 2653

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William R. Korzuch can be reached on (571) 272-7589. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Julie Anne Watko

October 15, 2005 JAW

Primary Examiner Art Unit 2653

Page 4